

# BOXTER 20 VS

---

## Private fuel dispenser



# MODULAR ECOLOGICAL PERFORMANCE



### **Modular**

---

The Boxter 20 VS is available in single or double-face, mono or bi-product, 1 to 4 nozzles, 3 levels of possible flows, 3 m<sup>3</sup>/h, 5 m<sup>3</sup>/h, or 8 m<sup>3</sup>/h.



### **Ecological**

---

Fuel distributor equipped with a recovery tray for the drippings to avoid any soil pollution. The Boxter 20 VS was designed to respond to the most important standard requirements.



### **Performance**


---

A high-precision meter designed for hard use. A fuel distributor provided for hard use, 24h/24h, and for maximum resistance to the weather.

# BOXTER 20 VS

## + PRODUCT

- Integrated backlighting technology for perfect readability of the display, day and night
- Simplicity and comfort of use
- Designed for intensive use 24h/24h
- Maximum resistance to the weather



## DISTRIBUTER DEVICE

- Pumping group 80 l/min with MADIC industries GDL80 deaerator with filter cartridge (stainless steel grill)
- Or in the 8 m<sup>3</sup>/h version, vane pumping unit of 140 l/min
- Service pressure: 0.16 - 0.25 MPa
- Connection sleeve (corrugated stainless steel)
- MADIC industries ML80 volumetric meter
- Or in the 8 m<sup>3</sup>/h version, volumetric meter (FPP050)
- Flow rate: 5 - 90 l/min.
- Commercial accuracy (+ or - 2 %)
- Three-phase electric motor, 400 V 50 Hz-0.75 Kw, 1500 rpm
- EN 1360 standard hose, useful length of 4 meters equipped with a brittle connector
- Automatic ZVA type pistol

## DISPLAY

- MADIC industries LCD LVSI display calculator - high-visibility backlighting, digit height 25.4 mm
- Distributed volume display, capacity 9999.9 l
- Automatic reset to zero
- Electronic totaliser
- Double track pulse transmitter
- Pre-equipped for the connection to a management system

## ADAPTABILITY



Light vehicles

Automobiles

Agricultural machinery

Transport

Public Works

## OPTIONS

- Double-faced display
- Flexible support rod
- VL/PL Kit (solenoid valve 3/5 m<sup>3</sup>/h)
- Integrated management terminal Magfleet 70
- Electromechanical totaliser
- Emergency hand pump
- Submerged pump version
- 230-volt electric power supply

## STANDARDS

- 2006/42/CE (Machine Directive ) relative to the safety of machinery
- 2014/35/UE (Low Voltage Directive) relative to the electrical safety of Low Voltage electrical equipment
- 2014/30/UE (EMC Directive) relative to the electromagnetic compatibility
- 2014/34/UE (ATEX Directive) relating to the use of equipment in an explosive atmosphere Technical File presented to the O.N. INERIS under the number INERIS EQUEN 025351/21
- 94/62/CE on packaging and packaging waste
- EN 13617-1 August 2012 Service stations - Construction and characteristics of the fuel distributors
- NF EN 60204-1 September 2006 Safety of machinery, Electrical machinery equipment

## CONTACT

Parc d'Aquitaine - 1155 avenue Jean-Baptiste Godin  
33240 Saint-André-de-Cubzac - France  
Tél. +33 (0)5 57 80 80 80 - Fax. 05 56 31 61 21 - Email. [contact.industries@madic.com](mailto:contact.industries@madic.com)  
[WWW.GROUPE.MADIC.COM](http://WWW.GROUPE.MADIC.COM)

ISO 9001 ISO 14001

Non-contractual document  
07/2024 39000165 Ind H UK

MADIC industries a company of MADIC group